



**DEPARTMENT OF DEFENSE  
US ARMY CORPS OF ENGINEERS  
PROTECTIVE DESIGN CENTER  
1616 Capitol Avenue, Suite 9000  
OMAHA, NEBRASKA 68102-4901**



## DoD ANTI-RAM VEHICLE BARRIERS

List Date: January 2013

The Department of Defense's physical security concept is to create a layered or "tiered" defensive system which consists of both active and passive perimeter barriers to delay intruders. The Department employs an ASTM International performance standard and testing procedure for both active entrance barriers and passive perimeter barriers designated as "vehicle-impact rated barriers," or "anti-ram barriers." The current standard is ASTM F2656-07, Standard Test Method for Vehicle Crash Testing of Perimeter Barriers.

The ASTM F2656-07 test standard rates barriers in twelve impact categories, with three predetermined impact velocities for each category and four potential penetration ratings for each impact rating. These penetration ratings are: P1 - < 3.3 ft; P2 - 3.31 to 23.0 ft; P3 - 23.1 to 98.4 ft; and P4 - > 98 ft. Of the four penetration ratings, barriers with a penetration rating of P4 will not be included in the DoD Anti-Ram Vehicle Barriers list.

The following list of barriers includes active barriers for use at entrances, and passive or fixed barriers for other perimeter applications. This list will be updated quarterly in January, April, July and October. A request must be received one month prior to the list being published to be included on the next quarterly list.

Note: This list supersedes all previous copies. Please refer to the date above to ensure you have the most up to date list. This list does not represent an overall endorsement of any product or design or address its operational suitability or maintainability. The list merely verifies that particular vehicle barriers have been certified in accordance with the performance standards in ASTM F2656-07, or previously tested to the U.S. Department of State SD-STD-02.01 standard, and that the appropriate test reports have been submitted to, and validated by, the Protective Design Center. Each vehicle barrier system has its own distinct characteristics that must be considered and weighed against the needs and conditions of the individual installation. Some barrier characteristics are associated with vulnerabilities. These vulnerabilities may not be readily apparent to the end users. The PDC is available to discuss barrier characteristics, and any other barrier issues or questions. A few characteristics to consider are listed below:

- **Impact speed at barrier (low speed impact):** The use of some vehicle barriers presented in this list exhibit vulnerabilities when impacted at speeds other than those associated with the ASTM and DOS test impact velocities.
- **Design Basis Threat (DBT) vehicle, other vehicle weights and speeds:** The barriers presented in this list have been subjected to impacts under the specific conditions prescribed by the test designation. If the Installation's DBT includes vehicles significantly different than the test vehicle, performance of the system may differ from what may be expected.
- **Deployment mechanisms:** The mechanisms used to deploy vehicle barriers varies (pneumatic, hydraulic, electro-mechanical, manual). The various mechanisms should be investigated and the choice should be based on the best fit for the Installation.
- **Environmental condition at barrier:** Environmental conditions can vary greatly from location to location. Conditions such as rain, snow, ice, sand, gravel, hot, and cold need to be considered when selecting a barrier for a specific location.
- **Operations and Maintenance (O&M) requirements:** Each barrier comes with its own operational and maintenance requirements. The O&M requirements vary in the amount and intensity from barrier to barrier. O&M needs to be figured into the overall life cycle cost of the barrier.
- **After impact barrier gaps:** Post impact gaps may be an inherent characteristic of the barrier system. The barrier system's post-impact condition should be carefully evaluated for its capabilities in relation to defeat of the Installation's Design Basis Threat (DBT).

Questions regarding the certification standard, barrier characteristics or this list can be sent to the Protective Design Center or email at: [pdcmail@usace.army.mil](mailto:pdcmail@usace.army.mil).

**Barrier Type: Active Bollard**

<i>Barrier Rating</i>	<i>Penetration Rating</i>	<i>Barrier Model/Description</i>	<i>Manufacturer/Designer/Distributor</i>	<i>Remarks</i>
K4	L3	RB80 Bollard	American Anti-Ram Corporation <a href="http://www.americanpsg.com/">http://www.americanpsg.com/</a>	48" OC
K4	L2	SP Defender	ATG Access, Inc. <a href="http://www.atgaccessinc.com/">http://www.atgaccessinc.com/</a>	3-bollard array
K4	L2	DSC 800 Bollard Type Barricade	Delta Scientific Corporation <a href="http://deltascientific.com/">http://deltascientific.com/</a>	3-bollard array
M30	P1	K4 Shallow Mount Bollard	FAAC International, Inc. <a href="http://www.faacusa.com/">http://www.faacusa.com/</a>	Single bollard
M30	P1	Elkosta M30 (K4)	Perimeter Protection Germany GmbH <a href="http://www.perimeterprotection.net/">http://www.perimeterprotection.net/</a>	Single bollard
K8	L3	XT-1208-RB, Xact Series Retractable Bollards - (fka-Eagle Series Bollards, K8)	Ross Security Systems LLC <a href="http://www.rosssecuritysolutions.com/">http://www.rosssecuritysolutions.com/</a>	3-bollard array, hydraulic bollards
K8	L1	ARMR B-30 Bollard Assembly	B&B ARMOR <a href="http://www.bb-armr.com/">http://www.bb-armr.com/</a>	3-bollard array, hydraulic bollards
M50	P1	SP1000 Rising Bollard	ATG Access, Inc. <a href="http://www.atgaccessinc.com/">http://www.atgaccessinc.com/</a>	single hydraulic bollard
K12	L3	SP Titan	ATG Access, Inc. <a href="http://www.atgaccessinc.com/">http://www.atgaccessinc.com/</a>	3-bollard array
K12	L2	XT-1200-RB, Xact Series Retractable Bollards - (fka-Eagle Series Bollards, K12)	Ross Security Systems LLC <a href="http://www.rosssecuritysolutions.com/">http://www.rosssecuritysolutions.com/</a>	3-bollard array, hydraulic bollards
K12	L2	NBI Hydraulic Bollard Barrier	Nasatka Barrier, Inc. <a href="http://www.nasatka.com/">http://www.nasatka.com/</a>	3 - bollard array
M50	P1	HT1 Raptor	Heald Ltd <a href="http://www.heald.uk.com/">http://www.heald.uk.com/</a>	single bollard
M50	P1	RSS4003	Robotic Security Systems, Inc. <a href="http://www.rssi.com/">http://www.rssi.com/</a>	3-bollard array
M50	P1	Viper RBSM 1000	Heald Ltd. <a href="http://www.heald.uk.com/">http://www.heald.uk.com/</a>	Single wedge shaped bollard
M50	P2	K12 Shallow Mount Bollard	Calpipe Security Bollards <a href="http://www.calpipebollards.com/">http://www.calpipebollards.com/</a>	3-bollard array

## DoD Anti-Ram Vehicle Barriers

January 2013

M50	P2	TITAN MKII Hydraulic Bollard	ATG Access, Inc. <a href="http://www.atgaccessinc.com/">http://www.atgaccessinc.com/</a>	3-bollard array, hydraulic bollards
K13	L1	B40 Retractable Bollard	B&B ARMR <a href="http://www.bb-armr.com/">http://www.bb-armr.com/</a>	3-bollard array, hydraulic bollards

### **Barrier Type: Active Drop-Arm Beam**

<i>Barrier Rating</i>	<i>Penetration Rating</i>	<i>Barrier Model/Description</i>	<i>Manufacturer/Designer/Distributor</i>	<i>Remarks</i>
K4	L3	CRB-240 Drop Gate	American Anti Ram <a href="http://www.americanpsg.com/">http://www.americanpsg.com/</a>	approx 11.5 foot clear opening
K4	L3	Bosik Bar VBS Shallow Foundation Barrier (SP VBB) K4	ATG Access, Inc. <a href="http://www.atgaccessinc.com/">http://www.atgaccessinc.com/</a>	14 foot clear opening
M30	P1	M530 12-foot Drop Arm Assembly	Apex Fabrication & Design, Inc. <a href="http://www.apexfab.com/">http://www.apexfab.com/</a>	12 foot clear opening
K4	L2	IP500 Transportable Beam for Quick Deployment	Delta Scientific Corporation <a href="http://deltascientific.com/">http://deltascientific.com/</a>	12 foot clear opening, surface mounted
K4	L2	TT212EC Drop Arm Beam Barrier System	Delta Scientific Corporation <a href="http://deltascientific.com/">http://deltascientific.com/</a>	12 foot clear opening
M30	P2	Barrier Arm Crash Gate	Logical Decisions <a href="http://www.ldi.com/crashgates.htm">http://www.ldi.com/crashgates.htm</a>	Approx 12.5 foot clear opening
M30	P1	StrongArm M30	HySecurity Gate, Inc. <a href="http://www.hysecurity.com/">http://www.hysecurity.com/</a>	12 foot clear opening
K8	L3	VPL-CB-24	Autogate, Inc <a href="http://www.autogate.com/">http://www.autogate.com/</a>	14.5 foot clear opening
K12	L3	VPL-CB-24	Autogate, Inc <a href="http://www.autogate.com/">http://www.autogate.com/</a>	14.5 foot clear opening
M50	P1	CRB-K12-2 Drop Arm Gate Barrier	American Physical Security Group, Inc. <a href="http://www.americanpsg.com/">http://www.americanpsg.com/</a>	12.9 foot clear opening
K12	L3	Bosik Bar VBS Deep Foundation Barrier (SP VBB) K12	ATG Access, Inc. <a href="http://www.atgaccessinc.com/">http://www.atgaccessinc.com/</a>	14.25 foot clear opening
M50	P3	Drop Arm Vehicle Barrier - KBVB	Barrier1 Systems, Inc. <a href="http://www.barrier1.us/">http://www.barrier1.us/</a>	
K12	L3	DSC 7000 Barrier	Delta Scientific Corporation <a href="http://deltascientific.com/">http://deltascientific.com/</a>	12 foot clear opening

## DoD Anti-Ram Vehicle Barriers

January 2013

K12	L2	NMSB XII Crash Beam Barrier - 12 ft	Nasatka Barrier, Inc. <a href="http://www.nasatka.com/">http://www.nasatka.com/</a>	12 foot clear opening
K12	L3	NMSB XII Crash Beam Barrier - 18 ft	Nasatka Barrier, Inc. <a href="http://www.nasatka.com/">http://www.nasatka.com/</a>	18 foot clear opening
M50	P2	StrongArm M50	HySecurity Gate, Inc. <a href="http://www.hysecurity.com/">http://www.hysecurity.com/</a>	12' Clear Opening

### Barrier Type: **Active Gate**

Barrier Rating	Penetration Rating	Barrier Model/Description	Manufacturer/Designer/Distributor	Remarks
M30	P1	AR-266 - 12 ft	Heavy Duty Gate, Inc. <a href="http://heavydutygates.com/">http://heavydutygates.com/</a>	12 foot clear opening
K4	L3	ARMR Model 730 Crash Gate	B&B ARMR <a href="http://www.bb-armr.com/">http://www.bb-armr.com/</a>	
K4	L2	ARMR Model 400 Sliding Gate	B&B ARMR <a href="http://www.bb-armr.com/">http://www.bb-armr.com/</a>	12 foot clear opening
K12	L3	CG12 Gate	American Anti Ram <a href="http://www.americanpsg.com/">http://www.americanpsg.com/</a>	12 foot clear opening
M50	P1	DSC 288	Delta Scientific Corporation <a href="http://deltascientific.com/">http://deltascientific.com/</a>	20 foot clear opening
K12	L3	DSC 7500 Barrier	Delta Scientific Corporation <a href="http://deltascientific.com/">http://deltascientific.com/</a>	12 foot clear opening
M50	P2	Cable Restraint Barrier - 50 ft	Gibraltar Cable Barrier Systems, L.P. <a href="http://www.gibraltarmaterials.com/">http://www.gibraltarmaterials.com/</a>	50 foot clear opening
K12	L3	Cable Crash Gate	Gibraltar Cable Barrier Systems, L.P. <a href="http://www.gibraltarmaterials.com/">http://www.gibraltarmaterials.com/</a>	24 foot clear opening
M50	P1	AR 466 Anti-Ram Vehicle Barrier - 16.5 ft	Morrison Equipment <a href="http://www.morrisonequipment.com/">http://www.morrisonequipment.com/</a>	16.5 foot clear opening
M50	P1	SR 466 Anti-Ram Vehicle Barrier	Morrison Equipment <a href="http://www.morrisonequipment.com/">http://www.morrisonequipment.com/</a>	12.75 foot clear opening
K12	L3	AR 446 Anti-Ram Vehicle Barrier - 40 ft	Morrison Equipment <a href="http://www.morrisonequipment.com/">http://www.morrisonequipment.com/</a>	40 foot clear opening
M50	P2	K12 Cable Restraint Barrier - 50 ft	NEU Security Systems <a href="http://www.neusecurity.com/">http://www.neusecurity.com/</a>	50 foot clear opening

## DoD Anti-Ram Vehicle Barriers

January 2013

M50	P1	K12 Cable Restraint Barrier - 24 ft	NEU Security Systems <a href="http://www.neusecurity.com/">http://www.neusecurity.com/</a>	24 foot clear opening
K12	L3	Modified Interlocking Finger Gate	Logical Decisions <a href="http://www.ldi.com/crashgates.htm">http://www.ldi.com/crashgates.htm</a>	V shape, 13 foot clear opening
K12	L1	ARMR Model 450 Anti-Climb High Security Vehicle Access Control Cantilever Gate System	B&B ARMAR <a href="http://www.bb-armr.com/">http://www.bb-armr.com/</a>	12 foot clear opening
<hr/>				
<b>Barrier Type: Active Net</b>				
<b>Barrier Rating</b>	<b>Penetration Rating</b>	<b>Barrier Model/Description</b>	<b>Manufacturer/Designer/Distributor</b>	<b>Remarks</b>
M50	P2	30' Retractable Net Vehicle Barrier System	Barrier1 Systems, Inc. <a href="http://www.barrier1.us/">http://www.barrier1.us/</a>	30 foot clear between stanchions - interpretable with similar 90 foot barrier
M50	P3	90' Retractable Net Vehicle Barrier System	Barrier1 Systems, Inc. <a href="http://www.barrier1.us/">http://www.barrier1.us/</a>	90 foot clear between stanchions - interpretable with similar 30 foot barrier
M50	P2	Retractable Cable Net Vehicle Barrier System - 20 ft	Barrier1 Systems, Inc. <a href="http://www.barrier1.us/">http://www.barrier1.us/</a>	19' 9.5" clear opening between stanchions - interpretable with similar 52' 5" barrier
M50	P2	Retractable Cable Net Vehicle Barrier System - 52.5 ft	Barrier1 Systems, Inc. <a href="http://www.barrier1.us/">http://www.barrier1.us/</a>	52' 5" clear opening between stanchions - interpretable with similar 19' 9.5" barrier
M50	P3	Modified Vehicle Arresting System (VAS)	Engineered Arresting Systems Corporation <a href="http://www.esco.zodiacaerospace.com/">http://www.esco.zodiacaerospace.com/</a>	24' tested width
M40	P1	GRAB-400 - 12 ft	Smith & Wesson Security Solutions (fka Universal Safety Response) <a href="https://www.smith-wessonsecuritysolutions.com/">https://www.smith-wessonsecuritysolutions.com/</a>	12 foot clear opening - interpretable with similar 60' barrier
M40	P2	GRAB-400 - 60 ft	Smith & Wesson Security Solutions (fka Universal Safety Response) <a href="https://www.smith-wessonsecuritysolutions.com/">https://www.smith-wessonsecuritysolutions.com/</a>	60 foot clear opening - interpretable with similar 12' barrier
M50	P2	GRAB-300 - 14 ft	Smith & Wesson Security Solutions (fka Universal Safety Response) <a href="https://www.smith-wessonsecuritysolutions.com/">https://www.smith-wessonsecuritysolutions.com/</a>	14 foot net width - interpretable with similar 62' barrier

## DoD Anti-Ram Vehicle Barriers

January 2013

M50	P2	GRAB-300 - 62 ft	Smith & Wesson Security Solutions (fka Universal Safety Response) <a href="https://www.smith-wessonsecuritysolutions.com/">https://www.smith-wessonsecuritysolutions.com/</a>	62 foot net width - interpretable with similar 14' barrier
-----	----	------------------	---	--

### Barrier Type: **Active Post and Beam**

Barrier Rating	Penetration Rating	Barrier Model/Description	Manufacturer/Designer/Distributor	Remarks
K12	L2	Barrier Lift System - K12	Gunnebo Competence Centre Outdoor Perimeter Security <a href="http://www.gunnebo.com/">http://www.gunnebo.com/</a>	
K12	L3	SP Patriot	ATG Access, Inc. <a href="http://www.atgaccessinc.com/">http://www.atgaccessinc.com/</a>	12 foot clear opening

### Barrier Type: **Active Wedge**

Barrier Rating	Penetration Rating	Barrier Model/Description	Manufacturer/Designer/Distributor	Remarks
M40	P3	DSC 1000 Barrier	Delta Scientific Corporation <a href="http://deltascientific.com/">http://deltascientific.com/</a>	12 foot clear opening, portable wedge
K4	L1	MP5000 Mobile Barrier	Delta Scientific Corporation <a href="http://deltascientific.com/">http://deltascientific.com/</a>	12 foot clear opening, portable wedge
K4	L2	DSC 1100 Quick Beam Deployment Barrier System	Delta Scientific Corporation <a href="http://deltascientific.com/">http://deltascientific.com/</a>	12 foot clear opening, surface mounted
K4	L3	DSC 1200 Barrier	Delta Scientific Corporation <a href="http://deltascientific.com/">http://deltascientific.com/</a>	12 foot clear opening
K4	L2	XS-2000-PW, Xpress Series Portable Wedge Barrier - (fka-Osprey Series Portable Wedge)	Ross Security Systems LLC <a href="http://www.rosssecuritysolutions.com/">http://www.rosssecuritysolutions.com/</a>	12 foot clear opening, portable wedge
K4	L1	ARMR Model 850 Portable/Towable Barrier	B&B ARMR <a href="http://www.bb-armr.com/">http://www.bb-armr.com/</a>	Portable wedge
M30	P3	MNSB XV Mobile Barrier	Nasatka Barrier, Inc. <a href="http://www.nasatka.com/">http://www.nasatka.com/</a>	12.4 foot clear opening, mobile wedge
M40	P3	MP5000 Mobile Barrier - 20 feet	Delta Scientific Corporation <a href="http://deltascientific.com/">http://deltascientific.com/</a>	20 foot clear opening, mobile wedge
M40	P3	MNSB XVI Mobile Barrier	Nasatka Barrier, Inc. <a href="http://www.nasatka.com/">http://www.nasatka.com/</a>	16 foot clear opening, mobile wedge
M40	P3	MNSB XVX 20 ft Clear Opening Barrier	Nasatka Barrier, Inc. <a href="http://www.nasatka.com/">http://www.nasatka.com/</a>	20 foot clear opening, mobile wedge

## DoD Anti-Ram Vehicle Barriers

January 2013

K12	L3	Shallow Mount Wedge Model SW12	American Anti Ram <a href="http://www.americanpsg.com/">http://www.americanpsg.com/</a>	8 foot plate
K12	L3	Model DSC501 - Phalanx Type Barricade	Delta Scientific Corporation <a href="http://deltascientific.com/">http://deltascientific.com/</a>	9 foot wide plate
M50	P1	DSC 207S	Delta Scientific Corporation <a href="http://deltascientific.com/">http://deltascientific.com/</a>	9 foot wide plate
K12	L3	DSC 2000 Barrier	Delta Scientific Corporation <a href="http://deltascientific.com/">http://deltascientific.com/</a>	3 - 2 foot wedges with 18 inch spacing
K12	L3	XT-1000-W, Xact Series Wedge Barrier - (fka-Eagle Series Wedge Barrier)	Ross Security Systems LLC <a href="http://www.rosssecuritysolutions.com/">http://www.rosssecuritysolutions.com/</a>	9 foot wide plate
M50	P1	NSMB-IIID-E - 8 ft	Nasatka Barrier, Inc. <a href="http://www.nasatka.com/">http://www.nasatka.com/</a>	8 foot plate
K12	L3	MSB II Barrier	Nasatka Barrier, Inc. <a href="http://www.nasatka.com/">http://www.nasatka.com/</a>	12 foot clear opening
M50	P1	SHF3614S	SecureUSA, Inc. <a href="http://secureusa.net/">http://secureusa.net/</a>	14 foot wide plate
K12	L3	SP Sentinel	ATG Access, Inc. <a href="http://www.atgaccessinc.com/">http://www.atgaccessinc.com/</a>	8 foot plate
M50	P1	RSS-2000VI	Robotic Security Systems, Inc. <a href="http://www.rssi.com/">http://www.rssi.com/</a>	6 post configuration
K12	L3	ARMR Shallow Mount Plate Barrier Model 820	B&B ARMR <a href="http://www.bb-armr.com/">http://www.bb-armr.com/</a>	9 foot tested width
K12	L3	RSS-2000	Robotic Security Systems, Inc. <a href="http://www.rssi.com/">http://www.rssi.com/</a>	4 post configuration
M50	P1	9 ft Wedge Barrier	Smith & Wesson Security Solutions (fka Universal Safety Response) <a href="https://www.smith-wessonsecuritysolutions.com/">https://www.smith-wessonsecuritysolutions.com/</a>	9 foot tested width
M50	P1	HT1 Viper	Heald Ltd. <a href="http://www.heald.uk.com/">http://www.heald.uk.com/</a>	3 m tested width (~10 ft)
M50	P1	3D-E Barrier System	Nasatka Barrier, Inc. <a href="http://www.nasatka.com/">http://www.nasatka.com/</a>	14'-12' tested width
M50	P1	Model III D-E 10 foot Gate Assembly	Nasatka Barrier, Inc. <a href="http://www.nasatka.com/">http://www.nasatka.com/</a>	10 foot tested width

## DoD Anti-Ram Vehicle Barriers

January 2013

M50	P1	16-ft Wedge System	Smith & Wesson Security Solutions (fka Universal Safety Response) <a href="https://www.smith-wessonsecuritysolutions.com/">https://www.smith-wessonsecuritysolutions.com/</a>	16' tested width
M50	P1	Model III D-E Gate Assembly	Nasatka Barrier, Inc. <a href="http://www.nasatka.com/">http://www.nasatka.com/</a>	10'-11' tested width
M50	P1	Road Blocker Model GBRH50 Wedge Barrier	Guardian Industries Co. <a href="http://www.guardianind.com/">http://www.guardianind.com/</a>	10'1" tested width

### Barrier Type: **Active Cable**

Barrier Rating	Penetration Rating	Barrier Model/Description	Manufacturer/Designer/Distributor	Remarks
M40	P2	RSSI Cable Trap System	RSSI Barriers, LLC <a href="http://www.rssi.com/">http://www.rssi.com/</a>	4 - 1" diameter cables, 100' tested total length

### Barrier Type: **Passive Bollard**

Barrier Rating	Penetration Rating	Barrier Model/Description	Manufacturer/Designer/Distributor	Remarks
PU50	P2	DSC 650 Shallow Foundation Bollard Array	Delta Scientific Corporation <a href="http://deltascientific.com/">http://deltascientific.com/</a>	2-bollard array
K4	L3	SP1000 Static Shallow Mount Barrier	ATG Access, Inc. <a href="http://www.atgaccessinc.com/">http://www.atgaccessinc.com/</a>	3-bollard array
M30	P1	M30 Shallow Foundation Modular Bollard System	Barrier1 Systems, Inc. <a href="http://www.barrier1.us/">http://www.barrier1.us/</a>	3-bollard array
M30	P1	Set and Pour Bollard	Barrier1 Systems, Inc. <a href="http://www.barrier1.us/">http://www.barrier1.us/</a>	Single bollard
M30	P2	8" SM Removable K4 Shallow Mount Bollard	Calpipe Security Bollards <a href="http://www.calpipebollards.com/">http://www.calpipebollards.com/</a>	3-bollard array
M40	P1	M40 Shallow Foundation Modular Bollard System	Barrier1 Systems, Inc. <a href="http://www.barrier1.us/">http://www.barrier1.us/</a>	3-bollard array
M50	P3	FB-K12 Fixed Bollard System	American Physical Security Group, Inc. <a href="http://www.americanpsg.com/">http://www.americanpsg.com/</a>	
M50	P2	Single Bollard Vehicle Barrier System	Barrier1 Systems, Inc. <a href="http://www.barrier1.us/">http://www.barrier1.us/</a>	single bollard
K12	L2	DSC 600 Shallow Frame Bollard Array	Delta Scientific Corporation <a href="http://deltascientific.com/">http://deltascientific.com/</a>	2-bollard array

M50	P3	M50 Shallow Foundation Bollard - 40	Gibraltar Cable Barrier Systems, L.P. <a href="http://www.gibaltarmaterials.com/">http://www.gibaltarmaterials.com/</a>	3-bollard array
M50	P1	M50 Shallow Foundation Bollard	Gibraltar Cable Barrier Systems, L.P. <a href="http://www.gibaltarmaterials.com/">http://www.gibaltarmaterials.com/</a>	3-bollard array
K12	L3	Gunnebo Bollard	Gunnebo Competence Centre Outdoor Perimeter Security <a href="http://www.gunnebo.com/">http://www.gunnebo.com/</a>	single bollard
K12	L3	Model 6 Bollards - 4-bank	Nasatka Barrier, Inc. <a href="http://www.nasatka.com/">http://www.nasatka.com/</a>	4 - bollard array, shallow mount

**Barrier Type: Passive Cable**

<i>Barrier Rating</i>	<i>Penetration Rating</i>	<i>Barrier Model/Description</i>	<i>Manufacturer/Designer/Distributor</i>	<i>Remarks</i>
M30	P1	High Performance Post, Rail, and Structural Stand System - 73 ft (1" cable)	Ameristar Perimeter Security Systems <a href="http://www.ameristarfence.com/">http://www.ameristarfence.com/</a>	3 - 1" diameter cables, 72' tested length (post to post)
M40	P2	Cable Trap System	RSSI Barriers, LLC <a href="http://www.rssi.com/">http://www.rssi.com/</a>	4 - 1" diameter cables, 96' tested length (end post to end post)
M40	P2	High Performance Post, Rail, and Structural Stand System - 73 ft (1.25" cable)	Ameristar Perimeter Security Systems <a href="http://www.ameristarfence.com/">http://www.ameristarfence.com/</a>	3 - 1.25" diameter cables, 72' tested length (post to post)
M50	P2	M50 P2 Cable Crash Fence	NEU Security Systems <a href="http://www.neusecurity.com/">http://www.neusecurity.com/</a>	3 strand cable barrier
M50	P2	M50 P2 Cable Crash Fence	Gibraltar Cable Barrier Systems, L.P. <a href="http://www.gibaltarmaterials.com/">http://www.gibaltarmaterials.com/</a>	tested length - 600 foot, end post to end post
M50	P1	M50/P1 Cable Barrier System	Ameristar Perimeter Security Systems <a href="http://www.ameristarfence.com/">http://www.ameristarfence.com/</a>	3 - 1.5" diameter cables, 40' tested length (post to post)
M50	P2	High Performance Post, Rail, and Structural Stand System (1.5" cable)	Ameristar Perimeter Security Systems <a href="http://www.ameristarfence.com/">http://www.ameristarfence.com/</a>	3 - 1.5" diameter cables, 56' tested length (post to post)
M50	P3	High Performance Post, Rail, and Structural Stand System - 41 ft (1.25" cable)	Ameristar Perimeter Security Systems <a href="http://www.ameristarfence.com/">http://www.ameristarfence.com/</a>	3 - 1.25" diameter cables, 40' tested length (post to post)
M50	P2	M50 Post and Cable System	Smith & Wesson Security Solutions (fka Universal Safety Response) <a href="https://www.smith-wessonsecuritysolutions.com/">https://www.smith-wessonsecuritysolutions.com/</a>	

**Barrier Type: Passive Fence**

<i>Barrier Rating</i>	<i>Penetration Rating</i>	<i>Barrier Model/Description</i>	<i>Manufacturer/Designer/Distributor</i>	<i>Remarks</i>
K8	L1	Perimeter Security Fence with One-Inch Cable and Diagonal	Ameristar Perimeter Security Systems <a href="http://www.ameristarfence.com/">http://www.ameristarfence.com/</a>	
K8	L2	Perimeter Security Fence with 1 in Cable and Bollard Anchorage	Ameristar Perimeter Security Systems <a href="http://www.ameristarfence.com/">http://www.ameristarfence.com/</a>	
K8	L2	Ameristar Impasse Perimeter Security Fence	Ameristar Perimeter Security Systems <a href="http://www.ameristarfence.com/">http://www.ameristarfence.com/</a>	2 - 1" diameter cables, 162 foot tested length
K8	L2	Perimeter Security Fence with One-Inch Cable and Bollard Anchorage	Ameristar Perimeter Security Systems <a href="http://www.ameristarfence.com/">http://www.ameristarfence.com/</a>	2 - 1" diameter cables, 162 foot tested length
M50	P1	Ameristar High Performance Post, Rail, and Structural Strand System	Ameristar Perimeter Security Systems <a href="http://www.ameristarfence.com/">http://www.ameristarfence.com/</a>	40' tested length post to end post
K12	L3	Impasse Security Fencing	Ameristar Perimeter Security Systems <a href="http://www.ameristarfence.com/">http://www.ameristarfence.com/</a>	
K12	L2	Perimeter Security Systems Fence	Ameristar Perimeter Security Systems <a href="http://www.ameristarfence.com/">http://www.ameristarfence.com/</a>	
K12	L3	Gibraltar Cable Crash Fence	Gibraltar Cable Barrier Systems, L.P. <a href="http://www.gibraltarmaterials.com/">http://www.gibraltarmaterials.com/</a>	test length - 60 foot span, post to post

**Barrier Type: Passive Inertial**

<i>Barrier Rating</i>	<i>Penetration Rating</i>	<i>Barrier Model/Description</i>	<i>Manufacturer/Designer/Distributor</i>	<i>Remarks</i>
K12	L3	RDRW Mk. 4	Geocell Systems Inc. <a href="http://www.geocellsystems.com/">http://www.geocellsystems.com/</a>	Earth filled barrier
K12	L3	Expeditionary Earth Filled Barrier	DefenCell <a href="http://www.defencell.com/">http://www.defencell.com/</a>	Earth filled barrier